



SAFETY CABINETS

A leader in the manufacturing of Safety Cabinets for nearly 50 years, Eagle Manufacturing has set the industry standard for high-quality Safety Cabinets for the storage of flammables and other liquids. In 2011, Eagle designed a new state-of-the-art production facility and created a cabinet design incorporating improved convenience and safety features. Our Safety Cabinet product line is designed and manufactured to best meet the ever-changing needs of today's business, industrial and laboratory environments and is made in the USA.



Eagle Steel Safety Cabinet features include:

- Reinforced double wall construction with 1½ in. (3.8 cm.) air space on sides, top, bottom, back and doors
- Constructed of 18-gauge steel
- Lead-free, high-gloss, baked-on powder finish
- Continuous piano hinges
- Ground connection
- Four adjustable galvanized leveling legs
- Trilingual warning labels
- 2 in. (5.1 cm.) raised leakproof sill
- Adjustable galvanized steel shelves that hold 350 lbs. (158.8 kg.) Uniform Distributed Load (UDL)
- Internal and external welded construction
- Two 2 in. (5.1 cm.) internal vents with fire baffle and cap
- Flush mounted door handle with key lock
- Three-point latch system
- 4¾ in. (12.1 cm.) centers for shelf brackets
- Self-latching doors
- Door closings: Manual Close (180° Opening)
Self-Closing (90° Opening)

(Available in 2- (7.6 L) to 110- (426.4 L) gallon sizes. Manual Close or Self-Closing.)

SAFETY CABINETS



FLAMMABLE LIQUID SAFETY CABINETS

																														
																														
Capacity (Gal.)	7.6 L 2 gal.		15.2 L 4 gal.		45.5 L 12 gal.		56.7 L 15 gal.		60.6 L 16 gal.		83.3 L 22 gal.		90.9 L 24 gal.		90.9 L 24 gal.		113.6 L 30 gal.		170.4 L 45 gal.		181.7 L 48 gal.		227.2 L 60 gal.		227.2 L 60 gal.		227.2 L 60 gal.		340.7 L 90 gal.	
Common Name	Bench Top		Bench Top		Space Saver		Add On		Space Saver		Under Counter		Wall- Mount		Space Saver		Standard 30		Standard 45		Deep Space Saver		Single Door 60		Standard 60		Work Bench		Standard 90	
Model Numbers Door Styles	Self Close: 1900 ▲ Manual Close: 1901 Sliding Self Close: —		Self Close: 1903 ▲ Manual Close: 1904 Sliding Self Close: —		Self Close: 1924 ▲ Manual Close: 1925 Sliding Self Close: —		Self Close: ADD14 ▲ Manual Close: ADD15 Sliding Self Close: —		Self Close: 1905 ▲ Manual Close: 1906 Sliding Self Close: —		Self Close: 1970 ▲ Manual Close: 1971 Sliding Self Close: —		Self Close: 1975 ▲ Manual Close: 1976 Sliding Self Close: —		Self Close: 2310 ▲ Manual Close: 1923 Sliding Self Close: —		Self Close: 3010 ▲ Manual Close: 1932 1930 ▲		Self Close: 4510 ▲ Manual Close: 1947 1945 ▲		Self Close: 4610 ▲ Manual Close: 1946 —		Self Close: 6110 ▲ Manual Close: 1961 —		Self Close: 6010 ▲ Manual Close: 1962 —		Self Close: 6410 ▲ Manual Close: 1964 —		Self Close: 9010 ▲ Manual Close: 1992 —	
Outside Dimensions	Width: 44.5		Width: 44.5		Width: 58.5		Width: 109.3		Width: 58.5		Width: 88.9		Width: 109.3		Width: 58.5		Width: 109.2		Width: 109.3		Width: 58.5		Width: 79.4		Width: 79.4		Width: 109.3		Width: 109.3	
	Depth: 17½		Depth: 17½		Depth: 23		Depth: 43		Depth: 23		Depth: 35		Depth: 43		Depth: 23		Depth: 43		Depth: 43		Depth: 23		Depth: 31¼		Depth: 31¼		Depth: 43		Depth: 43	
	Height: 18		Height: 18		Height: 18		Height: 18		Height: 18		Height: 22		Height: 12		Height: 18		Height: 18		Height: 18		Height: 18		Height: 34		Height: 34		Height: 34		Height: 34	
Inside Dimensions	Width: 36.9		Width: 36.9		Width: 50.8		Width: 101.6		Width: 50.8		Width: 81.3		Width: 101.6		Width: 50.8		Width: 101.6		Width: 101.6		Width: 50.8		Width: 71.8		Width: 71.8		Width: 101.6		Width: 101.6	
	Depth: 14½		Depth: 14½		Depth: 20		Depth: 40		Depth: 20		Depth: 32		Depth: 40		Depth: 20		Depth: 40		Depth: 40		Depth: 20		Depth: 28¼		Depth: 28¼		Depth: 40		Depth: 40	
	Height: 15		Height: 15		Height: 15		Height: 15		Height: 15		Height: 19		Height: 9		Height: 15		Height: 15		Height: 15		Height: 31		Height: 31		Height: 31		Height: 31		Height: 31	
No. of Shelves Extra Shelf Model No.	1 1902		1 1902		1 1919		Optional 1915		1 1919		1 1972		3 1977		3 1919		1 1915		2 1915		3 1919(2)		2 1911		2 1911		1 1915(2)		2 1915(2)	
Shelf Depth	37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		47.7 cm. 18¾ in.		22.3 cm. 8¾ in.		37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		37.5 cm. 14¾ in.		76.2 cm. 30 in.		71.2 cm. 28 in.		71.2 cm. 28 in.		76.2 cm. 30 in.		76.2 cm. 30 in.	
Maximum Weight	31.3 kg. 69 lbs.		37.2 kg. 82 lbs.		64.5 kg. 142 lbs.		72.6 kg. 160 lbs.		75.7 kg. 167 lbs.		90.7 kg. 200 lbs.		104.3 kg. 230 lbs.		102.5 kg. 226 lbs.		109.4 kg. 241 lbs.		146.1 kg. 322 lbs.		149.7 kg. 330 lbs.		163.2 kg. 360 lbs.		165.7 kg. 363 lbs.		154.2 kg. 340 lbs.		216.4 kg. 477 lbs.	
Compliance																														
Approvals	—		—																											

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Did you know?
Improper storage and handling of flammable liquids is the leading cause of industrial fires.

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

Three door styles to choose from:

 Yellow

 Red

 Green

 Blue

 White

 Beige

 Gray

1947 2 Door Manual Close



4510 2 Door Self-Closing



1945 Sliding Door Self-Closing (30- & 45-gallon only)




































⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
















SAFETY CABINETS



TOWER™ SAFETY CABINETS [YELLOW ONLY]

						
						
Capacity (Gal.)	45.4 L 12 gal.	60.6 L 16 gal.	113.6 L 30 gal.	170.4 L 45 gal.	227.2 L 60 gal.	340.7 L 90 gal.
Common Name	Space Saver	Space Saver	Tower 30	Tower 45	Tower 60	Tower 90
Model Numbers	1924LEGS  1925LEGS	1905LEGS  1906LEGS	3010LEGS  1932LEGS	4510LEGS  1947LEGS	6010LEGS  1962LEGS	9010LEGS  1992LEGS
Door Styles	Self Close: Manual Close: Sliding Self Close: –	Self Close: Manual Close: Sliding Self Close: –	Self Close: Manual Close: Sliding Self Close: –	Self Close: Manual Close: Sliding Self Close: –	Self Close: Manual Close: Sliding Self Close: –	Self Close: Manual Close: Sliding Self Close: –
Outside Dimensions	cm. in. Width: 58.5 23 Depth: 45.8 18 Height: 99.1 39	cm. in. Width: 58.5 23 Depth: 45.8 18 Height: 121.9 48	cm. in. Width: 109.2 43 Depth: 45.8 18 Height: 121.9 48	cm. in. Width: 109.2 43 Depth: 45.8 18 Height: 175.3 69	cm. in. Width: 79.4 31¼ Depth: 79.4 31¼ Height: 175.3 69	cm. in. Width: 109.2 43 Depth: 86.4 34 Height: 175.3 69
Inside Dimensions	cm. in. Width: 50.8 20 Depth: 38.1 15 Height: 81.3 32	cm. in. Width: 50.8 20 Depth: 38.1 15 Height: 104.2 41	cm. in. Width: 101.6 40 Depth: 38.1 15 Height: 104.2 41	cm. in. Width: 101.6 40 Depth: 38.1 15 Height: 157.5 62	cm. in. Width: 71.8 28¼ Depth: 71.8 28¼ Height: 157.5 62	cm. in. Width: 101.6 40 Depth: 78.8 31 Height: 157.5 62
No. of Shelves	1 1919	1 1919	1 1915	2 1915	2 1911	2 1915(2)
Extra Shelf Model No.						
Shelf Depth	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	71.2 cm. 28 in.	76.2 cm. 30 in.
Maximum Weight	67.2 kg. 148 lbs.	78.9 kg. 174 lbs.	115.2 kg. 254 lbs.	152 kg. 335 lbs.	172.4 kg. 380 lbs.	224.1 kg. 494 lbs.
Compliance						
Approvals						

PAINT & INK

																										
																										
151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.																								
Tower 40	Tower 60	Tower 96																								
Cabinets are available in yellow - when ordering add a "Y" before																										
PI32LEGS**	P47LEGS	PI62LEGS																								
<table><tr><td>cm.</td><td>in.</td></tr><tr><td>109.2</td><td>43</td></tr><tr><td>45.8</td><td>18</td></tr><tr><td>121.9</td><td>48</td></tr></table>	cm.	in.	109.2	43	45.8	18	121.9	48	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>109.2</td><td>43</td></tr><tr><td>45.8</td><td>18</td></tr><tr><td>175.3</td><td>69</td></tr></table>	cm.	in.	109.2	43	45.8	18	175.3	69	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>79.4</td><td>31¼</td></tr><tr><td>79.4</td><td>31¼</td></tr><tr><td>175.3</td><td>69</td></tr></table>	cm.	in.	79.4	31¼	79.4	31¼	175.3	69
cm.	in.																									
109.2	43																									
45.8	18																									
121.9	48																									
cm.	in.																									
109.2	43																									
45.8	18																									
175.3	69																									
cm.	in.																									
79.4	31¼																									
79.4	31¼																									
175.3	69																									
<table><tr><td>cm.</td><td>in.</td></tr><tr><td>101.6</td><td>40</td></tr><tr><td>38.1</td><td>15</td></tr><tr><td>104.2</td><td>41</td></tr></table>	cm.	in.	101.6	40	38.1	15	104.2	41	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>101.6</td><td>40</td></tr><tr><td>38.1</td><td>15</td></tr><tr><td>157.5</td><td>62</td></tr></table>	cm.	in.	101.6	40	38.1	15	157.5	62	<table><tr><td>cm.</td><td>in.</td></tr><tr><td>71.8</td><td>28¼</td></tr><tr><td>71.8</td><td>28¼</td></tr><tr><td>157.4</td><td>62</td></tr></table>	cm.	in.	71.8	28¼	71.8	28¼	157.4	62
cm.	in.																									
101.6	40																									
38.1	15																									
104.2	41																									
cm.	in.																									
101.6	40																									
38.1	15																									
157.5	62																									
cm.	in.																									
71.8	28¼																									
71.8	28¼																									
157.4	62																									
3 1915	5 1915	5 1911																								
37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	71.2 cm. 28 in.																								
120.2 kg. 265 lbs.	165.6 kg. 365 lbs.	173.3 kg. 382 lbs.																								
 	 	 																								
																										

TOWER™ SAFETY CABINETS

				
				
90.8 L / 24 gal. (168 Aerosol Cans)	113.6 L / 30 gal. (252 Aerosol Cans)	151.4 L 40 gal.	227.2 L 60 gal.	363.4 L 96 gal.
Aerosol Can Storage	Aerosol Can Storage	Standard 40	Standard 60	Standard 96
1975RED  1976RED	PI7710  PI77	PI3010  PI32 PI30 	PI4510  PI47 PI45 	PI6010  PI62
–	–	–	–	–
cm. in.	cm. in.	cm. in.	cm. in.	cm. in.
109.2 43	109.2 43	109.2 43	109.2 43	79.4 31¼
30.5 12	30.5 12	45.8 18	45.8 18	79.4 31¼
111.8 44	165.1 65	111.8 44	165.1 65	165.1 65
cm. in.	cm. in.	cm. in.	cm. in.	cm. in.
101.6 40	101.6 40	101.6 40	101.6 40	71.8 28¼
22.9 9	22.9 9	38.1 15	38.1 15	71.8 28¼
104.1 41	157.5 62	104.1 41	157.5 62	157.5 62
3	5	3	5	5
1977	1977	1915	1915	1911
22.2 cm. 8 ¾ in.	22.3 cm. 8 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	71.2 cm. 28 in.
101.6 kg. 224 lbs.	136.1 kg. 300 lbs.	114.8 kg. 253 lbs.	160.2 kg. 353 lbs.	170.1 kg. 375 lbs.
				
				

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5

Tower cabinets include 4-inch adjustable legs for the added benefits of:

- Placing cabinets over floor or wall ventilation
- Providing easy cleaning under cabinet
- Protecting the cabinet in areas where floor moisture is a concern
- Moving with a forklift or pallet jack

Did you know?
The use of approved safety cans is your first layer of protection against fire. Storage of safety cans in approved safety cabinets provides your second layer of protection.

**PI32LEGS
is Manual Close

- Paint & Ink cabinets include:**
- Additional shelves for storage of one-gallon (3.8 L) paint or ink cans, or for aerosol cans
 - Capacity based on the number of one-gallon (3.8 L) paint cans
 - Aerosol cabinets include wall-mounting brackets. 24-gallon (90.8 L) cabinet is designed to hold up to 168 12-oz. aerosol cans and the 30-gallon (113.6 L) cabinet is designed to hold up to 252 12-oz. aerosol cans



SAFETY CABINETS



DRUM SAFETY CABINETS




Capacity (Gal.)	208.2 L 55 gal.	208.2 L 55 gal.	416.4 L 110 gal.	208.2 L 55 gal.	416.4 L 110 gal.	227.2 L 60 gal.
Common Name	One Drum Vertical	One Drum Horizontal	Two Drum Vertical	HAZ One Drum Vertical	HAZ Two Drum Vertical	HAZ Two Drum (30 gal. Drums)
Model Numbers						
Door Styles	Self Close: 2610 ⚠ Manual Close: 1926	2810 ⚠ 1928	5510 ⚠ 1955	HAZ2610 ⚠ HAZ1926	HAZ5510 ⚠ HAZ1955	HAZ9010 ⚠ HAZ1992
Outside Dimensions	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65	cm. in. 79.4 31¼ 122.6 48¼ 127 50	cm. in. 147.4 58 80.1 31½ 165.1 65	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65	cm. in. 147.4 58 80.1 31½ 165.1 65	cm. in. 109.3 43 86.4 34 165.1 65
Inside Dimensions	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62	cm. in. 71.8 28¼ 115 45¼ 119.4 47	cm. in. 139.7 55 72.4 28½ 157.5 62	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62	cm. in. 139.7 55 72.4 28½ 157.5 62	cm. in. 101.6 40 78.8 31 157.5 62
No. of Shelves	1 Extra Shelf Model No. 1921	—	1 1922	1 1921	1 1922	1 1915(2)
Shelf Depth	37.5 cm. 14¾ in.	—	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.
Maximum Weight	164.2 kg. 362 lbs.	163.3 kg. 360 lbs.	242.7 kg. 535 lbs.	177.8 kg. 392 lbs.	278.5 kg. 614 lbs.	238.2 kg. 525 lbs.
Compliance	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA
Approvals	FM	FM	FM	FM	FM	FM

HAZ-MAT SAFETY CABINETS




Capacity (Gal.)	83.3 L 20 gal.	113.6 L 30 gal.	170.4 L 45 gal.	208.2 L 55 gal.	227.2 L 60 gal.
Common Name	Space Saver	Standard 30	Standard 45	One Drum Vertical	Standard 60
Model Numbers					
Door Styles	PEST24 ⚠ PEST25	PEST3010 ⚠ PEST32	PEST4510 ⚠ PEST47	PEST2610 ⚠ PEST26	PEST6010 ⚠ PEST62
Outside Dimensions	cm. in. 58.5 23 45.8 18 88.9 35	cm. in. 109.3 43 45.8 18 111.8 44	cm. in. 109.3 43 45.8 18 165.1 65	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65
Inside Dimensions	cm. in. 50.8 20 38.1 15 81.3 32	cm. in. 101.6 40 38.1 15 104.2 41	cm. in. 101.6 40 38.1 15 157.5 62	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62
No. of Shelves	1 Extra Shelf Model No. 1919	1 1915	2 1915	1 1921	2 1911
Shelf Depth	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	71.2 cm. 28 in.
Maximum Weight	65.4 kg. 144 lbs.	110.7 kg. 244 lbs.	155.2 kg. 342 lbs.	164.2 kg. 362 lbs.	173.3 kg. 382 lbs.
Compliance	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA
Approvals	FM	FM	FM	FM	FM

PESTICIDE SAFETY CABINETS



Capacity (Gal.)	83.3 L 20 gal.	113.6 L 30 gal.	170.4 L 45 gal.	208.2 L 55 gal.	227.2 L 60 gal.
Common Name	Space Saver	Standard 30	Standard 45	One Drum Vertical	Standard 60
Model Numbers					
Door Styles	PEST24 ⚠ PEST25	PEST3010 ⚠ PEST32	PEST4510 ⚠ PEST47	PEST2610 ⚠ PEST26	PEST6010 ⚠ PEST62
Outside Dimensions	cm. in. 58.5 23 45.8 18 88.9 35	cm. in. 109.3 43 45.8 18 111.8 44	cm. in. 109.3 43 45.8 18 165.1 65	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65	cm. in. 79.4 31¼ 79.4 31¼ 165.1 65
Inside Dimensions	cm. in. 50.8 20 38.1 15 81.3 32	cm. in. 101.6 40 38.1 15 104.2 41	cm. in. 101.6 40 38.1 15 157.5 62	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62	cm. in. 71.8 28¼ 71.8 28¼ 157.5 62
No. of Shelves	1 Extra Shelf Model No. 1919	1 1915	2 1915	1 1921	2 1911
Shelf Depth	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	37.5 cm. 14¾ in.	71.2 cm. 28 in.
Maximum Weight	65.4 kg. 144 lbs.	110.7 kg. 244 lbs.	155.2 kg. 342 lbs.	164.2 kg. 362 lbs.	173.3 kg. 382 lbs.
Compliance	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA	OSHA NFPA
Approvals	FM	FM	FM	FM	FM

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5



Drum safety cabinets include:

- Drum support guides in the bottom and one shelf (vertical cabinets only)
- Roller conveyors in the bottom, one shelf and hazardous waste labels

Did you know?

Regulations require not more than 60 gal. (227.2 L) of Class II liquids and not more than 120 gal. (454.2 L) of Class III liquids in any one safety cabinet.



Pesticide safety cabinets:

- Offer safe, secure, lockable storage of pesticides including herbicides, insecticides, fungicides and other poisons
- Provide excellent protection for companies specializing in lawn care, golf course or agricultural management
- Include poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Are available in 100 percent polyethylene construction for storage of highly corrosive pesticides or poisons

SAFETY CABINETS



METAL ACID & CORROSIVE SAFETY CABINETS

Capacity (Gal.)	15.2 L 4 gal.	45.5 L 12 gal.	56.7 L 15 gal.	60.6 L 16 gal.	83.3 L 22 gal.	90.9 L 24 gal.	113.6 L 30 gal.	170.4 L 45 gal.	227.2 L 60 gal.
Common Name	Bench Top	Space Saver	Add-On	Space Saver	Under Counter	Space Saver	Standard 30	Standard 45	Space Saver
Model Numbers	CRA1903 ⚠ CRA1904	CRA1924 ⚠ CRA1925	ADDCRA14 ⚠ ADDCRA	CRA1905 ⚠ CRA1906	CRA70 ⚠ CRA71	CRA2310 ⚠ CRA1923	CRA3010 ⚠ CRA32 CRA30 ⚠	CRA4510 ⚠ CRA47 CRA45 ⚠	CRA6010 ⚠ CRA62
Door Styles	Self Close: Manual Close: Sliding Self Close:	—	—	—	—	—	—	—	—
Outside Dimensions	cm. in. Width: 44.5 17½ Depth: 45.8 18 Height: 57.2 22½	cm. in. Width: 58.4 23 Depth: 45.8 18 Height: 88.9 35	cm. in. Width: 109.3 43 Depth: 45.8 18 Height: 56.6 22½	cm. in. Width: 58.5 23 Depth: 45.8 18 Height: 111.8 44	cm. in. Width: 88.9 35 Depth: 55.9 22 Height: 88.9 35	cm. in. Width: 58.5 23 Depth: 45.8 18 Height: 165.1 65	cm. in. Width: 109.3 43 Depth: 45.8 18 Height: 111.8 44	cm. in. Width: 109.3 43 Depth: 45.8 18 Height: 165.1 65	cm. in. Width: 79.4 31¼ Depth: 79.4 31¼ Height: 165.1 65
Inside Dimensions	cm. in. Width: 36.9 14½ Depth: 38.1 15 Height: 49.6 19½	cm. in. Width: 50.8 20 Depth: 38.1 15 Height: 81.3 32	cm. in. Width: 101.6 40 Depth: 38.1 15 Height: 48.9 19½	cm. in. Width: 50.8 20 Depth: 38.1 15 Height: 104.2 41	cm. in. Width: 81.3 32 Depth: 48.3 19 Height: 81.3 32	cm. in. Width: 50.8 20 Depth: 38.1 15 Height: 157.5 62	cm. in. Width: 101.6 40 Depth: 38.1 15 Height: 104.2 41	cm. in. Width: 101.6 40 Depth: 38.1 15 Height: 157.5 62	cm. in. Width: 71.8 28¾ Depth: 71.8 28¾ Height: 157.5 62
No. of Shelves	1	1	Optional	1	1	3	1	2	2
Extra Shelf Model No.	CRA1902	CRA1909	CRA1914	CRA1909	CRA72	CRA1909	CRA1914	CRA1914	CRA1918
Shelf Depth	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	47.7 cm. 18 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	37.5 cm. 14 ¾ in.	71.2 cm. 28 in.
Maximum Weight	37.19 kg. 82 lbs.	65.4 kg. 144 lbs.	73.1 kg. 161 lbs.	74 kg. 163 lbs.	91.7 kg. 202 lbs.	103.5 kg. 228 lbs.	110.7 kg. 244 lbs.	148.8 kg. 328 lbs.	173.3 kg. 382 lbs.
Compliance									
Approvals	—								

ALL CABINETS INCLUDE STANDARD FEATURES & BENEFITS SHOWN ON PAGE 5

Acid & corrosive safety cabinets include:

- Special corrosion-resistant powder coat finish on all internal and external surfaces, including shelves
- Poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100 percent polyethylene construction for storage of aggressive acids

Did you know?

Approved safety cabinets are designed to protect the contained flammable liquids for a period of 10 minutes, giving personnel time to exit in case of fire.




MODULAR *QUIK-ASSEMBLY™* POLY CABINETS

Eagle introduces a new line of Modular *Quik-Assembly™* Poly Cabinets ideal for lab or industrial settings. Made of heavy duty High Density Polyethylene, these models can be assembled in minutes without tools. The 4-gallon (15.2 L) model is a stand-alone unit, while the 12-gallon (45.5 L), 24-gallon (90.9 L) and 48-gallon (181.7 L) models can be linked and stacked to create additional vertical or horizontal units. Models can be assembled with the option of the lockable doors opening to the left or right. Cabinets are also available in yellow, black, beige, white and gray in 4-gallon (15.2 L) and 12-gallon (45.5 L) models.

Features:

- Ideal for labs and industrial settings
- Assembles in minutes, no tools required
- Lockable doors open to 180°
- Doors can be assembled to open to the left or right
- 100 percent HDPE construction
- Adjustable shelves, 38 lbs. (17.3 kg.) per shelf (UDL)
- Sealed internal containment sump
- Two 2 inch (5.1 cm.) poly vents with caps
- "Caution Corrosives" label included
- Modular linkage brackets included
- Additional color options on pg. 14-15



Modular Designs



SAFETY CABINETS



MODULAR QUIK-ASSEMBLY™ POLY ACID & CORROSIVE SAFETY CABINETS




Capacity (Gal.)	15.2 L 4 gal.	45.5 L 12 gal.	90.9 L 24 gal.	90.9 L 24 gal.	181.7 L 48 gal.
Description	Bench Top	12-Gal. Modular	24-Gal. Modular (Space Saver)	24-Gal. Modular (Under-the-Counter)	48-Gal. Modular
Model Numbers	M04CRA M04CRAW	M12CRA M12CRAW	M24CRA M24CRAW	M24CRA M24CRAW	M48CRA M48CRAW
Outside Dimensions	W: 45.8 D: 45.8 H: 55.9	cm. 45.8 in. 18 cm. 45.8 in. 18 cm. 55.9 in. 22	cm. 45.8 in. 18 cm. 55.9 in. 22 cm. 91.5 in. 36	cm. 91.5 in. 36 cm. 55.9 in. 22 cm. 91.5 in. 36	cm. 91.5 in. 36 cm. 55.9 in. 22 cm. 182.9 in. 72
Inside Dimensions	W: 35.6 D: 38.1 H: 40	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%
No. of Shelves	2	2	4	4	8
Shelf Depth	38.8 cm./15 1/4 in.	48.9 cm./19 1/4 in.	48.9 cm./19 1/4 in.	48.9 cm./19 1/4 in.	48.9 cm./19 1/4 in.
Weight	14.6 kg./32 lbs.	20.5 kg./45 lbs.	40.9 kg./90 lbs.	40.9 kg./90 lbs.	81.7 kg./180 lbs.



Capacity (Gal.)	15.2 L 4 gal.	15.2 L 4 gal.	45.5 L 12 gal.	45.5 L 12 gal.
Description	Bench Top	Bench Top	12-Gal. Modular	12-Gal. Modular
Model Numbers	M04Y M04BLK	M04BEI M04GRA	M12Y M12BLK	M12BEI M12GRA
Outside Dimensions	W: 45.8 D: 45.8 H: 55.9	cm. 45.8 in. 18 cm. 45.8 in. 18 cm. 55.9 in. 22	cm. 45.8 in. 18 cm. 55.9 in. 22 cm. 91.5 in. 36	cm. 45.8 in. 18 cm. 55.9 in. 22 cm. 91.5 in. 36
Inside Dimensions	W: 35.6 D: 38.1 H: 40	cm. 35.6 in. 14 cm. 38.1 in. 15 cm. 40 in. 15%	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%	cm. 35.6 in. 14 cm. 48.3 in. 19 cm. 75.6 in. 29%
No. of Shelves	2	2	2	2
Shelf Depth	38.8 cm./15 1/4 in.	38.8 cm./15 1/4 in.	48.9 cm./19 1/4 in.	48.9 cm./19 1/4 in.
Weight	14.6 kg./32 lbs.	14.6 kg./32 lbs.	20.5 kg./45 lbs.	20.5 kg./45 lbs.

Quik-Assembly™ in minutes
(No tools required)



M12CRA
12-Gallon Modular







Quik-Assembly™
Available in beige, gray, black, yellow and blue.

SAFETY CABINETS



OFFICE SUPPLY CABINET

	
	
Capacity (Gal.)	21.5 cu. ft./ 0.6 cu.m.
Common Name	Office Supply Cabinet
Model Numbers	19474BE 19474GR
Outside Dimensions	Width: 109.3 cm / 44 in. Depth: 45.8 cm / 18 in. Height: 165.1 cm / 65 in.
Inside Dimensions	Width: 101.6 cm / 40 in. Depth: 38.1 cm / 15 in. Height: 157.5 cm / 62 in.
No. of Shelves Extra Shelf Model No.	4 1915BEIGE & 1915GRAY
Shelf Depth	37.5 cm./14 ¾ in.
Maximum Weight	151 kg./334 lbs.
Compliance	—
Approvals	—

- NOTE:**

Office Supply Cabinets require flammable labels to comply with NFPA Code 30.
- Office Supply Cabinets:**

 - Provide secure, fire-resistant storage of software, financial records, supplies, toner, adhesives, etc.
 - Have four painted shelves
 - Are not fireproof

CABINET COMBOS

Safety Cabinet Combos!

Compliance solution combos for the handling & storage of flammable liquids

These combos bring you Eagle’s best-selling Safety Cabinets filled with Eagle’s market-leading 5-gallon (18.9 L) Type I Safety Cans with funnels! Now, one easy purchase can meet your compliance needs.



Capacity (Gal.)	113.6 L / 30 gal.	170.4 L / 45 gal.	227.2 L / 60 gal.
Common Name	30-Gallon Combo Cabinet	45-Gallon Combo Cabinet	60-Gallon Combo Cabinet
Model Numbers	(Includes 6 UI50FS Cans)	(Includes 9 UI50FS Cans)	(Includes 12 UI50FS Cans)
Door Styles	Manual Close: 1932SC6 Self Close: 3010SC6 ⚠	1947SC9 4510SC9 ⚠	1962SC12 6010SC12 ⚠
Outside Dimensions	W: 109.3 cm / 43 in. D: 45.8 cm / 18 in. H: 111.8 cm / 44 in.	W: 109.3 cm / 43 in. D: 45.8 cm / 18 in. H: 165.1 cm / 65 in.	W: 79.4 cm / 31¼ in. D: 79.4 cm / 31¼ in. H: 165.1 cm / 65 in.
Inside Dimensions	W: 109.3 cm / 40 in. D: 38.1 cm / 15 in. H: 104.2 cm / 41 in.	W: 109.3 cm / 40 in. D: 38.1 cm / 15 in. H: 157.5 cm / 62 in.	W: 71.8 cm / 28¼ in. D: 71.8 cm / 28¼ in. H: 157.5 cm / 62 in.
No. of Shelves Extra Shelf Model No.	1 1915	2 1915	2 1911
Shelf Depth	37.5 cm./14 ¾ in.	37.5 cm./14 ¾ in.	71.2 cm./28 in.
Maximum Weight	123.9 kg./273 lbs.	170.1 kg./375 lbs.	198.3 kg./437 lbs.
Compliance	OSHA	OSHA	OSHA
Approvals	FM	FM	FM

CABINET ACCESSORIES

PLEASE CALL EAGLE CUSTOMER SERVICE AT 304.737.3171



3045 Kit Poly Trays
40 in. (104.6 cm.) x 16 in. (40.6 cm.) x 2.5 in. (6.4 cm.)



1915 Metal Shelves
39 5⁄8 in. (100.6 cm.) x 14 1⁄4 in. (63.5 cm.) x 1 in. (2.54 cm.)



1950/1951 Bonding Wires (3 ft./91.5 cm.)
1953 Brass Horizontal Drum Vent
1974B Brass Faucet (¾ in./1.90 cm.)



1794 Poly Drum Cabinet Ramp



1934 Cabinet Dolly Cart with 1925



1957 Galvanized Drum Cabinet Ramp
23.5 in. (59.7 cm.) x 26.25 in. (66.7 cm.)



1934 & 1935 Cabinet Dolly Carts



1918 Horizontal Drum Cradle



1916G Shelf Dividers



1910G Self-Closing Adaptor Kit



1936 Cabinet Earthquake Kit



1933 Cabinet Wheel Kit
(Fits 30 gal./113.6 L and smaller)



1920 Roller Conveyors
Two Shown (Sold Individually)

Cabinet Accessories, Shelves & Parts
SHELVES, POLY TRAYS, DOLLY CARTS & PARTS

1993G	Self-Closing Adaptor Kit for 1946 & 4610	⚠
CRA1900	Poly Bottom Tray for 2- & 4-gallon cabinets	
CRA1901	Poly Tray for 2- & 4-gallon cabinets	
CRA1902	Coated Metal Shelf for 2- & 4-gallon cabinets	
CRA1907	Poly Bottom Tray for 12-, 16- & 24-gallon cabinets	
CRA1908	Poly Shelf Tray for 12-, 16- & 24-gallon cabinets	
CRA1909	Coated Metal Shelf for 12-, 16- & 24-gallon cabinets	
CRA1912	Poly Bottom Tray for 15-, 30- & 45-gallon cabinets	
CRA1913	Poly Shelf Tray for 15-, 30- & 45-gallon cabinets	
CRA1914	Coated Metal Shelf for 15-, 30- & 45-gallon cabinets	
CRA1916	Poly Bottom Tray for 60-gallon cabinets	
CRA1917	Poly Shelf Tray for 60-gallon cabinets	
CRA1918	Coated Metal Shelf for 60-gallon cabinets	
CRA72	Coated Metal Shelf for CRA70 & CRA71	
CRA73	Poly Bottom Tray for CRA70 & CRA71	
CRA74	Poly Shelf Tray for CRA70 & CRA71	
CRAPS04	Poly Cabinet Shelf for 4-gallon poly cabinet	
CRAPS22	Poly Cabinet Shelf for 22- & 44-gallon poly cabinets	
3045 Kit	Universal Poly Tray Kit 3 trays	
C79HC	Hydraulic Closer	
C79S	Short Cylinder	
C80	Fusible Link Round Sliding Door Models Only	⚠
C80N	Fusible Link Rectangular 1 & 2 Door Self-Closing Models	⚠
C82N	Lever Handle Door Lock with Keys (non-button latch)	
C83N	Key Set (2 keys) (Key #CH751)	
C82BL	Lever Handle Door Lock with Keys (button latch)	
C82PL	Paddle Latch Door Lock with Keys (flush mount)	
C88	Lock Plate Cover	
C891BL	Door Lock Assembly 30-32 Gallon Button Latch Cabinet	
C892BL	Door Lock Assembly 45-47 Gallon Button Latch Cabinet	
C891PL	Door Lock Assembly 30-32 Gallon Paddle Lock	
C892PL	Door Lock Assembly 45-47 Gallon Paddle Lock	
1902	Metal Shelf for 2- and 4-gallon cabinets	
1908G	3 in. Divider for 60-gallon cabinets	
1909G	5 in. Divider for 60-gallon cabinets	
1910G	Self-Closing Adaptor Kit for 15-, 30-, 45-, 90-gallon & Wall Mount cabinets	⚠
1911	Metal Shelf for 60-gallon cabinets	
1912G	Self-Closing Kit for All Single Door 4-, 12-, 16- and 24-gallon cabinets	⚠
1915	Metal Shelf for 15-, 30- & 45-gallon cabinets	
1916G	3in. Divider for 4-, 12-, 15-, 16-, 30-, 45-gallon cabinets	
1917G	5in. Divider for 4-, 12-, 15-, 16-, 30-, 45-gallon cabinets	
1918	Cradle for Horizontal Drum Cabinets	
1919	Metal Shelf for 12-, 16- & 24-gallon cabinets	
1920	2 in. Roller Conveyor HAZ1926 & HAZ1955	
1921	Metal Shelf for HAZ1926 & HAZ2610	
1922	Metal Shelf for HAZ1955	
1933	Cabinet Wheel Kit for 30-gallon or less	
1934	Cabinet Dolly Cart for 12- & 16-gallon cabinets	
1935	Cabinet Dolly Cart for 15- & 30-gallon cabinets	
1936	Cabinet Earthquake Kit all cabinets	
1950	Grounding Wire w/Alligator Clips 36 in. length	
1951	Bonding Wire w/C Clip 36 in. length	
1953	Brass Horizontal Drum Vent	
1957	Galvanized Drum Cabinet Ramp	
1794	Poly Ramp for use with Vertical Drum Cabinets	
1966G	Self-Closing Adaptor Kit for 60-Gallon Flammable, PI 60 Series & Vertical One Drum Cabinet	⚠
1967G	Self-Closing Adaptor Kit for 2 Drum Cabinet	⚠
1968G	Self-Closing Adaptor Kit for 1961 & 6110	⚠
1972	Metal Shelf for Under Counter Cabinets	
1974B	Brass Faucet	⚠
1994	2 in. Roller Conveyor HAZ1992 & HAZ9010	
1977	Metal Shelf for P177 Wall Mount Cabinets	
1978G	Self-Closing Adaptor Kit for Under Counter Cabinets	⚠
1979GN	Self-Closing Adaptor Kit for HAZ9010	⚠